

# Equipment Specifications

## Gas Compressor Package - Reciprocating

District:	
Field:	
Facility/LSD:	
Unit #	

SAP Asset #	
Previous Name	

Packager	<b>Barber</b>
Pkgr #	<b>743B</b>
Skid Type	<b>Housed</b>
Application	

Last Update	
-------------	--

DRIVER	
Make	<b>White Superior</b>
Model	<b>16G825</b>
S/N	<b>267019</b>
Spec / Arr	<b>NA</b>
Perf / SAA	
Max RPM	<b>900</b>
HP Rating	<b>1600</b>

COMPRESSOR	
Make	<b>White Superior</b>
Model	<b>W66</b>
S/N	<b>267010</b>
Rod Load Combined	<b>60000.00 kg</b>
R.L. Compression	<b>30000.00 kg</b>
R.L. Tension	<b>30000.00 kg</b>
Stroke (in)	<b>6"</b>
Rod Diameter (in)	<b>2"</b>

PANEL / CONTROLS	
Manufacturer	<b>Barber Engineering</b>
S/N	<b>74B3</b>
Model	<b>Pneumatic</b>
HMI Type	<b>Pneumatic</b>
Speed Control	<b>Manual</b>
Recycle Control	<b>Yes-PLC</b>
Pressure Over Rides	<b>None</b>
Capacity Control	<b>None</b>
Remote Monitoring	<b>No</b>

Notes:

Notes:

Notes:

FUEL GAS / PERFORMANCE	
SLHV	
WKI / Meth #	
% Inert	
Timing Setpoint	

COOLER	
Make	
Model	
S/N	
HP Draw	<b>47.72 kw</b>

FAN	
Fan Make	
Fan Model	
Design Pitch	
Degree Pitch Min / Max	

VALVE			
Quantity	H.E. Spacer C.E	Lift (in)	Throw
	0/0	0/0	<b>1</b>
	0/0	0/0	<b>2</b>
	0/0	0/0	<b>3</b>
	0/0	0/0	<b>4</b>
8	0/0	0/0	<b>5</b>
8	0/0	0/0	<b>6</b>

CYLINDER											
Stage	Bore (in)	MAWP #	Model	Liner	Liner Option	Clr. HE %	Clr. CE %	VVP			
1	17.500"	220 PSI	W6BC					No			
2	10.000"	715 PSI	W6BC					No			